	Application No.	Applicant(s)
A1 41 PA11 1 1114	10/053,849	CONVERY, JOSEPH
Notice of Allowability	Examiner	Art Unit
	Julie Lieu	2636
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in the or other appropriate communic IGHTS. This application is sub-	is application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to <u>1/27/05</u> .		
2. X The allowed claim(s) is/are 3 and 5 (renumbered as 1 and	<u>2)</u> .	
3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the:		ŋ.
1. Certified copies of the priority documents have		
2. Certified copies of the priority documents have	, ,	
Copies of the certified copies of the priority do	cuments have been received in	this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a in the second of this application.	reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give FORMAL	es reason(s) why the oath or de	NER'S AMENDMENT or NOTICE OF claration is deficient.
5. A CORRECTED DRAWINGS (as "replacement sheets") mus		
(a) including changes required by the Notice of Draftspers	•	PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLO	IAL must be submitted. Note the DGICAL MATERIAL.
Attachment(s)	5 Netice of Inform	mal Detect Application (DTO 450)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Information 5. ☐ Interview Sumi	mal Patent Application (PTO-152)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Ma	il Date <u>attached</u> .
Paper No./Mail Date		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		atement of Reasons for Allowance
	9. Other	
		Julie Lieu Primary Examiner Art Unit: 2636

Page 2

Application/Control Number: 10/053,849

Art Unit: 2636

مة - ^{سرو}ه

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Joseph Convery on January 05, 2006.

The application has been amended as follows:

Cancel claims 1 and 2 by adding identifiers as below:

1. (Canceled.)

2. (Canceled.)

In Claim 3:

Replace the period (.) at the end of the claim with a semicolon (;)

Add the following paragraphs at the end of original claim 3:

--D. wireless means to disable emission of said audible alarm from said alarm

devices of said alarm network not at the location of said abnormal environmental

condition;

E. wireless means to disable transmission of said radio frequency alarm message

from said alarm devices of said alarm network not at the location of said abnormal

environmental condition; and

F. wireless means to disable reception of said radio frequency alarm message from

Application/Control Number: 10/053,849

Art Unit: 2636

said alarm devices of said alarm network .--

Cancel claim 4.

In Claim 5:

Change the dependency of claim 5 to claim 3. Delete "C." on line 3 of the claim.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julie Lieu whose telephone number is 571-272-2978. The examiner can normally be reached on MaxiFlex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Hofsass can be reached on 571-272-2981. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Julie Lieu Primary Examiner Page 3

Art Unit 2636

Jan. 05, 06